

DEPARTMENT OF DEFENSE INDEX OF  
SPECIFICATIONS AND STANDARDS

---

**DODISS NOTICE**

---

1 SEPTEMBER 2001 / FOR PERIOD 15 AUG 2001 TO 31 AUG 2001 / VOL. 16/ NO. 01

**ATTENTION**

The DODISS NOTICE is published on the 1<sup>st</sup> and 15<sup>th</sup> of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

**<http://dodssp.daps.mil/dodiss.htm>**

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

## ACTIVE SECTION

## DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-PRF-71229C	MOUNT, GUN 120MM[CUST: AT] [REVIEW: AR]	A	1015		AT	23-AUG-01
M A-A-51130B	CUTTER BIT BLANKS AND CUT-OFF BLADES[CUST: AR 99 GS6] [REVIEW: 84]	A	3455	/	GS6	21-AUG-01
M MIL-B-23071/2B NOT 2	BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (105 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 82 AS MI]	A	4140		IS	21-AUG-01
M MIL-B-23071/7C NOT 2	BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (14, 40, 17 AND 39 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 82 AS MI OS SH]	A	4140		IS	21-AUG-01
M MIL-B-23071/9E NOT 2	BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (138 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 82 AS SH]	A	4140		IS	21-AUG-01
M MIL-B-23071/25 NOT 2	BLOWERS: MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBEAXIAL (6.3, 19, 12, 12/23, 6.5/19, 16, AND 13 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 AS CR]	A	4140		IS	21-AUG-01
M WW-P-541/3B(1) NOT 1	PLUMBING FIXTURES (BATHTUBS)[CUST: CR4 YD 99] [REVIEW: CC CE MC MS]	A	4510	/	IS	21-AUG-01
M A-A-50456A NOT 1	VALVES, RADIATOR, HEATING PACKED BONNET, CLASS 150 PSIG[CUST: CR4 99 IS] [REVIEW: CE]	A	4520	/	IS	21-AUG-01
M A-A-50495B NOT 1	HEATING ELEMENT, ELECTRICAL (REPLACEMENTS FOR DOMESTIC APPLIANCES)[CUST: YD] [REVIEW: MC]	A	4540	/	IS	21-AUG-01
M MIL-DTL-8790E	HOSE ASSEMBLIES, RUBBER, HYDRAULIC, HIGH PRESSURE (3,000 PSI)[CUST: AV AS 99 CC] [REVIEW: 71 MI SA]	A	4720		CC	06-APR-01
M MS28759C	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	06-APR-01
M MS28762C	HOSE ASSEMBLY, RUBBER, HYDRAULIC (3000 PSI), FLARELESS TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	06-APR-01
M MS28920B	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 45 DEG., FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	06-APR-01
M MS28921B	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), FITTING END TO ELBOW 90 DEGREE, FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	06-APR-01
M MS28924B	HOSE ASSEMBLY, RUBBER, HYDRAULIC, (3,000 PSI), ELBOW 90 DEG. TO ELBOW 90 DEG., FLARED TUBE[CUST: AT AS 99 CC] [REVIEW: 71 AV MI SA]	A	4720		CC	06-APR-01
N A-A-59545	JACKS, DOLLY TYPE, HYDRAULIC, AUTOMOTIVE[CUST: AR SH 99 CC] [REVIEW: AT SA]	A	4910	/	CC	27-JUL-01
N QPL-AS5877-1	NOZZLE, AIRCRAFT PRESSURE REFUELING	A	4930		AS	20-AUG-01
N SAE-AS5877	NOZZLE, AIRCRAFT PRESSURE REFUELING[CUST: AS 11]	A	4930		AS	20-AUG-01
M A-A-50685 NOT 2	LEVEL, PRECISION MASTER, SINGLE FACE[CUST: 99 IS] [REVIEW: 84]	A	5220	/	IS	21-AUG-01
M A-A-50767 NOT 2	ANALYZER, SURFACE FINISH[CUST: 99 IS]	A	5220	/	IS	21-AUG-01
M MIL-P-23469/1B NOT 2	PINS AND COLLARS, SWAGE-LOCKING, REGULAR HEIGHT, FLANGED AND LOW PROFILE, ALUMINUM ALLOY, CORROSION RESISTANT STEEL, CARBON STEEL AND ALLOY STEEL[CUST: SH IS]	A	5320		IS	21-AUG-01
M MIL-P-23469/2B NOT 2	PIN-RIVET, GROOVED, BRAZIER HEAD; STRAIGHT SHANK, SIX LOCKING GROOVES, ALUMINUM ALLOY, CORROSION-RESISTANT AND CARBON STEELS[CUST: SH IS]	A	5320		IS	21-AUG-01
M MIL-R-24243/1E NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN END, DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL, CORROSION RESISTANT STEEL[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/2C NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, DOMED HEAD, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/3D NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, LARGE DOMED HEAD, ALUMINUM ALLOY, CARBON STEEL[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/4D NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 100 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/5D NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, OPEN-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY, CARBON STEEL, NICKEL-COPPER ALLOY[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/6E NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, DOMED HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M MIL-R-24243/7D NOT 1	RIVETS, BLIND, NONSTRUCTURAL, RETAINED MANDREL, CLOSED-END, 120 DEG. COUNTERSUNK HEAD, ALUMINUM ALLOY[CUST: AR AS 99 IS] [REVIEW: 82 AV MI NS]	A	5320		IS	21-AUG-01
M AN231 REV 4 NOT 1	GROMMET & DRAINAGE, PLASTIC[CUST: AV AS 99 IS]	A	5325		IS	21-AUG-01
M A-A-55549 NOT 1	PACKING, PREFORMED, ROUND (FOR USE WITH WAVEGUIDE FLANGES)[CUST: MR EC 99 IS] [REVIEW: 11 82 CR MC]	A	5331	/	IS	21-AUG-01
M A-A-1922A NOT 1	SHIELD, EXPANSION (CAULKING ANCHORS, SINGLE LEAD)[CUST: AR YD 99]	A	5340	/	IS	21-AUG-01
M A-A-1923A NOT 1	SHIELD EXPANSION (LAG, MACHINE AND EXTERNALLY THREADED WEDGE BOLT ANCHORS)[CUST: AR YD 99]	A	5340	/	IS	21-AUG-01
M A-A-1924A NOT 1	SHIELD, EXPANSION (SELF DRILLING TUBULAR EXPANSION SHELL BOLT ANCHORS)[CUST: AR YD 99 IS]	A	5340	/	IS	21-AUG-01
M A-A-1925A NOT 1	SHIELD, EXPANSION (NAIL ANCHORS)[CUST: AR YD 99 IS]	A	5340	/	IS	21-AUG-01
M A-A-55587 NOT 1	HINGE, BUTT, BROAD, NON-TEMPLATE[CUST: AR YD 99] [REVIEW: 82 AV CR4 MC SH]	A	5340	/	IS	21-AUG-01
M A-A-55614 NOT 1	SHIELD, EXPANSION (NON-DRILLING EXPANSION ANCHORS)[CUST: AR YD 99 IS]	A	5340	/	IS	21-AUG-01
M A-A-55615 NOT 1	SHIELD, EXPANSION (WOOD SCREW AND LAG BOLT SELF-THREADING ANCHORS)[CUST: AR YD 99 IS]	A	5340	/	IS	21-AUG-01
N NASM51939	LOOP, STRAP FASTENER (FOOTMAN'S LOOP)[CUST: AR]	A	5340		IS	28-AUG-01
N NASM3926-1	KNOB, CONTROL, BALL[CUST: CR EC 99]	A	5355		IS	28-AUG-01
N NASM3926-2	KNOB, CONTROL, OVAL TAPERED[CUST: CR EC 99]	A	5355		IS	28-AUG-01
N NASM3926-3	KNOB, CONTROL, TAPERED[CUST: CR EC 99]	A	5355		IS	28-AUG-01
N NASM3926-4	KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED[CUST: CR EC 99]	A	5355		IS	28-AUG-01
M QPL-39035-80	RESISTOR, VARIABLE, NON-WIRE-WOUND (ADJUSTMENT TYPE) NONESTABLISHED RELIABILITY, AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5905		CC	28-AUG-01
M QPL-55182-146	RESISTORS, FIXED, FILM, NONESTABLISHED RELIABILITY, ESTABLISHED RELIABILITY, AND SPACE LEVEL, GENERAL SPECIFICATION FOR	A	5905		CR	24-AUG-01
M QPL-39022-55	CAPACITOR, FIXED, METALLIZED, PAPER-PLASTIC FILM, OR PLASTIC FILM DIELECTRIC, DIRECT AND ALTERNATING CURRENT, (HERMETICALLY SEALED IN METAL OR CERAMIC CASES), ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CC	28-AUG-01
M QPL-49470-4	CAPACITOR, FIXED, CERAMIC DIELECTRIC, SWITCH MODE POWER SUPPLY (GENERAL PURPOSE AND TEMPERATURE STABLE), STANDARD RELIABILITY AND HIGH RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	29-AUG-01
M QPL-55514-39	CAPACITORS, FIXED, PLASTIC (OR METALLIZED PLASTIC) DIELECTRIC, DC OR DC-AC, IN NONMETAL CASES, NON-ESTABLISHED AND ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	29-AUG-01
M QPL-55681-107	CAPACITOR, CHIP, MULTIPLE LAYER, FIXED, CERAMIC DIELECTRIC, ESTABLISHED RELIABILITY AND NON-ESTABLISHED RELIABILITY, GENERAL SPECIFICATION FOR	A	5910		CR	14-AUG-01
M QPL-23419-43	FUSE, CARTRIDGE, INSTRUMENT TYPE, GENERAL SPECIFICATION FOR	A	5920		CC	24-AUG-01

## ACTIVE SECTION

## DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Avia	MCA	Prep. Acty	Date
M MIL-DTL-38999/20E	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/21B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/22D	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, DUMMY STOWAGE, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/23B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, JAM-NUT MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/24F	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, THREADED, JAM-NUT MOUNTING, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC NA] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/25A	CONNECTOR, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, SOLDER MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/26E	CONNECTORS, ELECTRICAL, PLUG, CIRCULAR, THREADED, STRAIGHT, REMOVABLE CRIMP CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/27B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, RECEPTACLE, WELD MOUNTING, HERMETIC, HERMETIC SOLDER CONTACTS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/29B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, PINS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC IS MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/30B	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED, PLUG, LANYARD RELEASE, FAIL-SAFE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/31C	CONNECTORS, ELECTRICAL, CIRCULAR, THREADED PLUG, LANYARD RELEASE, FAIL-SAFE REMOVABLE CRIMP CONTACTS, SOCKETS, SHELL SIZE 25, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/32C	CONNECTORS, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, PLUG SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/33C	CONNECTOR, ELECTRICAL, CIRCULAR, COVER, PROTECTIVE, RECEPTACLE, SERIES III, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/34B	CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY JAMNUT MOUNTING, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/35B	CONNECTORS, RECEPTACLE, ELECTRICAL, CIRCULAR, BREAKAWAY WALL MOUNTING FLANGE, REMOVABLE CRIMP CONTACTS, SOCKETS, SERIES III, SHELL SIZE 25, METRIC[CUST: 11 CC] [REVIEW: 19 99]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/40A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WALL MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/41A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, BOX MOUNTING FLANGE, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/42A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, BOX MOUNTING FLANGE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/44B	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, JAN-NUT MOUNTING, BREECH COUPLING REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/45A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, SOLDER MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI MS OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/46A	CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, BREECH COUPLING, EMI GROUNDING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/47A	CONNECTORS, ELECTRICAL, CIRCULAR, PLUG, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/48A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, WELD MOUNTING, HERMETIC, BREECH COUPLING, HERMETIC SOLDER CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/49A	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, IN LINE CABLE, BREECH COUPLING, REMOVABLE CRIMP CONTACTS, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MI MS OS]	A	5935		CC	11-JUN-01
M MIL-DTL-38999/50B	CONNECTORS, ELECTRICAL, CIRCULAR, RECEPTACLE, DUMMY STOWAGE, BREECH COUPLING, SERIES IV, METRIC[CUST: CR AS 11 CC] [REVIEW: 19 99 EC MC MI OS]	A	5935		CC	11-JUN-01
M QPL-24308-95	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, GENERAL SPECIFICATION FOR	A	5935		CC	17-AUG-01
M MIL-PRF-19500/115J(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, VOLTAGE REGULATOR TYPES 1N3821A THROUGH 1N3828A, 1N3016B THROUGH 1N3051B, 1N3821A-1 THROUGH 1N3828A-1, 1N3016B-1 THROUGH 1N3051B-1, 1N3821AUR-1 THROUGH 1N3828AUR-1, 1N3016BUR-1 THROUGH 1N3051BUR-1, PLUS C- AND D- TOLERANCE SUFFIX, JAN, JANTX, JANTXV, AND JANHC[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	16-AUG-01
M MIL-PRF-19500/260F(1)	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, TYPES 1N1202A, 1N1204A, 1N1206A, 1N3671A, 1N3673A AND AR VERSIONS JAN, JANTX, JANTXV, JANS, JANHC AND JANKC 1N1124A, 1N1126A, 1N1128A, 1N3649, 1N3650, 1N1124RA, 1N1126RA, 1N1128RA, 1N3649R, AND 1N3650R JAN ONLY[CUST: CR NW 11 CC NA] [REVIEW: 19 AR AS MC MI]	A	5961		CC	16-AUG-01
M MIL-PRF-19500/355H	SEMICONDUCTOR DEVICE, UNITIZED DUAL TRANSISTOR, NPN, SILICON TYPES 2N2919, 2N2920, 2N2919L, 2N2920L, 2N2919U, AND 2N2920U, JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	14-AUG-01
M MIL-PRF-19500/368E	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, LOW-POWER TYPES: 2N3439, 2N3439L, 2N3440, AND 2N3440L JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR NW 11 CC] [REVIEW: 19 99 AS MC MI SM]	A	5961		CC	24-AUG-01
M MIL-PRF-19500/421F	SEMICONDUCTOR DEVICE, DUAL TRANSISTOR, UNITIZED, NPN/PNP, COMPLEMENTARY, SILICON TYPES 2N3838, 2N4854, AND 2N4854U JAN, JANTX, AND JANTXV[CUST: CR NW 11 CC] [REVIEW: AR MC MI]	A	5961		CC	25-AUG-01
M MIL-PRF-19500/428D(2)	SEMICONDUCTOR DEVICE, FIELD-EFFECT TRANSISTOR, N-CHANNEL SILICON, TYPE 2N4416A JAN, JANTX, JANTXV AND JANS[CUST: NW 11 CC] [REVIEW: 19 MC]	A	5961		CC	16-AUG-01
M MIL-PRF-19500/597C(2)	SEMICONDUCTOR DEVICE, TRANSISTORS, QUAD, FIELD EFFECT, N-CHANNEL, SILICON TYPE 2N7334 JAN, JANTX, JANTXV, JANS, JANHC, AND JANKC[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR MC MI SM]	A	5961		CC	16-AUG-01
N MIL-PRF-19500/656	SEMICONDUCTOR DEVICE, DIODE, SILICON, SCHOTTKY, POWER RECTIFIER, COMMON CATHODE OR COMMON ANODE CENTER TAP, TYPES 1N6785 AND 1N6785R JAN, JANTX, JANTXV AND JANS[CUST: CR EC 11 CC NA]	A	5961		CC	16-AUG-01
M MIL-PRF-19500/673(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7468U2 AND 2N7469U2 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR NW 11 CC NA] [REVIEW: AR AV MI]	A	5961		CC	20-AUG-01
M MIL-PRF-19500/675A	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTORS, N-CHANNEL, SILICON TYPES 2N7463T2 AND 2N7464T2 AND U5 SUFFIXES JANTXVR AND JANSR[CUST: CR NW 11 CC NA]	A	5961		CC	30-AUG-01
M MIL-PRF-19500/685(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7475T1, 2N7476T1 AND 2N7477T1 (TOTAL DOSE AND SINGLE EVENT EFFECTS) JANTXVR AND JANSR[CUST: CR NW 11 CC NA]	A	5961		CC	16-AUG-01

## ACTIVE SECTION

## DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	MIL-PRF-19500/687(1)	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7509, 2N7510, AND 2N7511 JANTXVD, R AND JANSR, R[CUST: CR NW 11 CC NA]	A	5961		CC	22-AUG-01
N	MIL-PRF-19500/697	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7478T1 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR 11 CC] [REVIEW: 99]	A	5961		CC	16-AUG-01
N	MIL-PRF-19500/698	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7470T1 AND 2N7471T1 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR NW 11 CC] [REVIEW: 71 99 AV MI]	A	5961		CC	16-AUG-01
M	QPL-25670-17	EARPHONE ELEMENTS, GENERAL SPECIFICATION FOR	A	5965		CC	21-AUG-01
M	MIL-D-28803/1D NOT 1	DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, BACKLIGHTED, STYLE II (LIGHT EMITTING DIODES), RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK, TYPE R01[CUST: CR EC 11] [REVIEW: 82 99 AR AS AT AV CR4 MC MI OS]	A	5980		CC	20-AUG-01
M	MIL-D-28803/2A NOT 1	DISPLAY, OPTOELECTRONIC, SEGMENTED READOUT, SEGMENTED, STYLE I (RFI SHIELDED, MOISTURE SEALED, HIGH IMPACT SHOCK) TYPE R02[CUST: CR 11 GS] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5980		CC	20-AUG-01
M	MIL-D-28803/4C NOT 1	DISPLAY, OPTOELECTRONIC, INDICATOR, DIGITAL, INCANDESCENT (STYLE I), SEGMENTED, DOT PATTERN AND BAR PATTERN, TYPE R04 (REPLACEMENT PARTS FOR TYPE R03 DISPLAY ASSEMBLY)[CUST: EC 11] [REVIEW: 99 AR AS AT AV CR4 MC MI OS SH]	A	5980		CC	20-AUG-01
M	QPL-49291-6	FIBER, OPTICAL, (METRIC), GENERAL SPECIFICATION FOR	A	6010		CC	21-AUG-01
M	QPL-17221-35	TRANSFORMERS, POWER, DISTRIBUTION; SINGLE PHASE, 400 HERTZ, INSULATION SYSTEM CLASS 220C, DRY (AIR COOLED), (NAVAL SHIPBOARD USE)	A	6120		SH	20-JUL-01
M	QPL-24541-9	BATTERY CELLS AND ELEMENTS, LEAD- ACID, MAIN STORAGE, SUBMARINE, GENERAL SPECIFICATION FOR (METRIC)	A	6140		SH	06-JUL-01
M	QPL-38359-15	CABLE, POWER, ELECTRICAL, AIRPORT LIGHTING, CROSS-LINKED, POLYETHYLENE ( XLP)	A	6145		CC	21-AUG-01
M	MIL-L-3661/12A NOT 2	LENSES, INDICATOR-LIGHT, STYLE LC12[CUST: CR EC 11 IS] [REVIEW: AS CR4 EA MC MI]	A	6210		IS	21-AUG-01
M	MIL-L-3661/13B(1) NOT 1	LAMP HOLDERS, INDICATOR LIGHTS, INDICATOR-LIGHT HOUSINGS, AND INDICATOR-LIGHT LENSES, DUSTTIGHT LENSES, STYLE LC13[CUST: EC 99 IS] [REVIEW: 82 AR AS CR4 MC MI]	A	6210		IS	21-AUG-01
M	MIL-L-3661/14C NOT 2	LENSES, INDICATOR-LIGHT, DRIPPROOF, STYLE LC14[CUST: CR 99 IS] [REVIEW: 82 AS AT AV CR4 MC MI OS]	A	6210		IS	21-AUG-01
M	MIL-PRF-51028C(1)	SAMPLING AND GAGING KIT[CUST: AT MS] [REVIEW: DM EA MB MC]	A	6630		AT	16-AUG-01
M	QPL-24304-14	DIFFERENTIAL PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL) (NAVAL SHIPBOARD USE)	A	6685		SH	06-JUL-01
M	A-A-2370 NOT 2	PAD, FLOOR POLISHING MACHINE (THIN)	A	7910	#	FSS	11-JUL-01
M	QPL-24176-33	CEMENT, EPOXY, METAL REPAIR AND HULL SMOOTHING (METRIC)	A	8030		SH	09-AUG-01
M	MIL-C-82289B NOT 2	CLOTH, NAINSOOK, COTTON[CUST: NU CT]	A	8305		CT	28-AUG-01
N	MIL-DTL-32089	LEATHER, CATTLEHIDE, LACE, AND CUT LACES[CUST: GL NU 11 CT] [REVIEW: 82 MD]	A	8330		CT	24-AUG-01
M	A-A-50016B	GLOVE, MEN'S; CLOTH, LEATHER PALM, KNITTED WRISTLET, SIZE MEDIUM[CUST: GL CT] [REVIEW: MD]	A	8415	/	CT	18-MAY-01
M	A-A-50021B	GLOVES, MEN'S; CLOTH, LEATHER PALM WITH GAUNTLET[CUST: GL MC 99 CT] [REVIEW: 82 CG MD]	A	8415	/	CT	18-MAY-01
M	A-A-50371B	BOOTS, FIREMEN'S[CUST: NU CT] [REVIEW: MD]	A	8430	/	CT	28-JUL-01
M	MIL-DTL-11589/560A	RIBBON, DISTINGUISHED CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT]	A	8455		IH	21-AUG-01
M	MIL-DTL-11589/561A	RIBBON, CIVILIAN CAREER SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT]	A	8455		IH	21-AUG-01
M	MIL-DTL-11589/563A	RIBBON, EXCEPTIONAL CIVILIAN SERVICE, DEFENSE CONTRACT MANAGEMENT AGENCY[CUST: IH] [REVIEW: CT]	A	8455		IH	21-AUG-01
N	ADV-PUB-61/116/11	HUMAN FACTORS ASPECTS OF MISSION PLANNING SYSTEMS	C	ISDF		06	30-APR-96
N	ADV-PUB-61/116/12	CREW PERFORMANCE MEASUREMENT	C	ISDF		06	30-APR-96
N	AIR-STD-61/116/13(1)	THE APPLICATION OF HUMAN ENGINEERING TO ADVANCED AIRCREW SYSTEMS	C	ISDF		06	09-MAY-96
N	AIR-STD-61/116/15H	LOCATION AND ARRANGEMENT OF FLIGHT AND ENGINE PARAMETER DISPLAYS IN AIRCREW STATIONS	C	ISDF		06	16-NOV-87
N	AIR-STD-61/116/16	ELECTRONICALLY AND OPTICALLY GENERATED DISPLAY FORMATS AND SYMBOLOGY FOR FIXED WING AIRCRAFT	C	ISDF		06	19-NOV-90
N	ADV-PUB-61/116/17(1)	OPERATOR CAPABILITY ANALYSIS	C	ISDF		06	07-NOV-00
N	ADV-PUB-61/116/18	HUMAN ENGINEERING TEST AND EVALUATION PROCEDURES FOR SYSTEMS, EQUIPMENT AND FACILITIES	C	ISDF		06	17-JUL-97
N	AIR-STD-80/12	TARGET REPORTING GUIDE	C	ISDF		06	25-JUN-93
N	AIR-STD-80/16	REQUEST FORM FOR IMAGERY TO BE USED IN IMAGERY INTERPRETATION KEYS PRODUCTION	C	ISDF		06	25-JUN-93
N	AIR-STD-80/17	IMAGERY INTERPRETABILITY RATING SCALE	C	ISDF		06	25-JUN-93
N	AIR-STD-84/1B(1)	REMOTE READING CONTINUOUS RADIATION MONITORING ALARM AND RECORDING SYSTEM	C	ISDF		06	10-MAY-01
N	AIR-STD-84/3A	CHEMICAL DETECTION AND ALARM SYSTEM FOR AIRFIELDS	C	ISDF		06	16-JUL-87
N	AIR-STD-84/5	RADIATION DETECTION SURVEY METER	C	ISDF		06	17-FEB-83
N	AIR-STD-84/6	CHEMICAL COLLECTIVE PROTECTION DESIGN CRITERIA	C	ISDF		06	17-FEB-83
N	AIR-STD-84/7(1)	GUIDELINES FOR AIR AND GROUND PERSONNEL USING COLLECTIVE PROTECTION STRUCTURES ON PERMANENT AIR FORCE INSTALLATIONS	C	ISDF		06	16-JUL-87
M	MIL-PRF-89020B	DIGITAL TERRAIN ELEVATION DATA (DTED)[CUST: TI NO 09 MP] [REVIEW: 33 AV CE2 CG DC2 DH DI MC NS US]	A	MCGT		MP	23-MAY-00
M	MIL-PRF-89038(2)	COMPRESSED ARC DIGITIZED RASTER GRAPHICS (CADRG)[CUST: TI NO 09 MP] [REVIEW: 33 AV CE2 CG DC2 DH DI MC NS US]	A	MCGT		MP	28-MAR-00
M	MIL-PRF-89039(2)	VECTOR SMART MAP (VMAP) LEVEL 0[CUST: TI NO 09 MP] [REVIEW: MC]	A	MCGT		MP	27-JUN-01
N	DI-MISC-81612	RESEARCH AND DEVELOPMENT (R&D) PROJECT SUMMARY	A	MISC		SO	16-AUG-01
M	MIL-HDBK-6870A	INSPECTION PROGRAM REQUIREMENTS, NONDESTRUCTIVE FOR AIRCRAFT AND MISSILE MATERIALS AND PARTS[CUST: MR AS 11]	A	NDTI		11	28-AUG-01
M	MIL-STD-188/198A(3)	JOINT PHOTOGRAPHIC EXPERTS GROUP (JPEG) IMAGE COMPRESSION FOR THE NATIONAL IMAGERY TRANSMISSION FORMAT STANDARD[Interface Standard][CUST: CR OM 02 DC4] [REVIEW: 13 CE DC DH IE IR NS PT TM2]	A	TCSS		MP	01-MAR-01

## INACTIVE SECTION

## DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	QPL-24702-6	FILTER ELEMENTS, HYDRAULIC, DISPOSABLE, GENERAL SPECIFICATION FOR (METRIC)	A	4330	SH		18-JUL-01
M	MS9060B(2) NOT 1	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, DRILLED, .190-32 NS[CUST: AV AS IS]	A	5306	IS		24-JUL-01
M	AN6225 REV 7 NOT 1	PACKING, PREFORMED[CUST: AV 99] [REVIEW: 82]	A	5330	IS		21-AUG-01
M	QPL-15280-29	PLASTIC MATERIAL, UNICELLULAR (SHEETS AND TUBES)	A	5640	SH		10-SEP-01
M	MIL-PRF-19500/359E	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N4942, 1N4944, 1N4946, 1N4947, AND 1N4948 JAN, JANTX, AND JANTXV[CUST: CR NW 11 CC] [REVIEW: 19 70 AR AS MC MI SM]	A	5961	CC		16-AUG-01
M	MIL-PRF-19500/443B NOT 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, SWITCHING TYPE 1N5719 JAN, JANTX AND JANTXV[CUST: CR NW 11 CC] [REVIEW: 19 70 99 AR AS MC MI OS SM]	A	5961	CC		30-AUG-01
M	MIL-S-19500/286E NOT 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, POWER RECTIFIER, MEDIUM-RECOVERY TYPES, 1N4245 THROUGH 1N4249 JAN, JANTX, JANTXV, AND JANHC[CUST: CR NW 11] [REVIEW: 19 99 AR AS CG MC MI]	A	5961	CC		20-AUG-01
M	MIL-S-19500/424A NOT 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, FAST RECOVERY, POWER RECTIFIER, 1N5186, 1N5187, 1N5188, AND 1N5190, JAN, JANTX, AND JANTXV (USE MIL-S-19500/411)[CUST: CR NW 11 CC] [REVIEW: 19 AR AS CG MC MI]	A	5961	CC		20-AUG-01
M	QPL-24212-29	PRESSURE TRANSDUCER EQUIPMENT (ELECTRICAL)	A	6685	SH		06-JUL-01
M	MIL-D-89010 NOT 1	DIGITAL BATHYMETRIC DATA BASE 5-MINUTE (DBDB5)[CUST: TI NO 09 MP] [REVIEW: DC2 MC]	A	MCGT	MP		25-APR-00

# CANCELED SECTION

# DODISS NOTICE

Last Action	DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M	KKK-T-631F NOT 1	TRACTOR, FULL-TRACKED, LOW SPEED (DIESEL-ENGINE-DRIVEN) (NO S/S DOCUMENT)(CUST: CR4 YD 99 CC) [REVIEW: AT MC]	A	2410	/	IS	31-AUG-01
M	KKK-T-642B NOT 1	TRACTOR, WHEELED, GENERAL PURPOSE INDUSTRIAL (DIESEL-ENGINE-DRIVEN) (NO S/S DOCUMENT)(CUST: CR4 YD 99) [REVIEW: AT MC]	A	2420	/	IS	31-AUG-01
M	OO-D-2855 NOT 1	DRILL, ROCK, HYDRAULIC DRIFTER, SELF-PROPELLED, TRACK-MOUNTED (NO S/S DOCUMENT)(CUST: AT YD)	A	3820	/	IS	31-AUG-01
M	OO-C-2894 NOT 1	CRUSHER, JAW, PORTABLE, PRIMARY AGGREGATE PLANT, MOBILE, 75-TON PER HOUR CAPACITY (NO S/S DOCUMENT)(CUST: AT YD) [REVIEW: CC]	A	3820	/	IS	31-AUG-01
M	OO-P-2895 NOT 1	PLANT, AGGREGATE, SECONDARY, WITH CONE CRUSHER, MOBILE, 75 TON PER HOUR CAPACITY (NO S/S DOCUMENT)(CUST: YD)	A	3820	/	IS	31-AUG-01
M	KKK-A-2809 NOT 1	AUGER, EARTH, TRUCK-MOUNTED, 4 BY 4, DIESEL ENGINE DRIVEN, 28,000 LB MINIMUM GVW, WITH POLE SETTER AND WIRE REEL (NO S/S DOCUMENT)(CUST: YD)	A	3820	/	IS	31-AUG-01
M	OO-S-875G NOT 1	SWEEPERS, STREET, MECHANICAL (CONVEYOR TYPE), SELF-PROPELLED (NO S/S DOCUMENT)(CUST: YD 99 IS) [REVIEW: 84 CR4 MC]	A	3825	/	IS	31-AUG-01
M	OO-S-2762 NOT 1	SWEEPER, VACUUM OR REGENERATIVE, STREET, SELF PROPELLED, DED (NO S/S DOCUMENT)(CUST: YD)	A	3825	/	IS	31-AUG-01
M	OO-S-2779 NOT 1	SNOW REMOVAL UNITS, ROTARY BLOWER, TRUCK MOUNTED 2400 TONS PER HOUR CAPACITY (NO S/S DOCUMENT)(CUST: AV YD IS) [REVIEW: 84 AT CE]	A	3825	/	IS	31-AUG-01
M	OO-S-2796 NOT 1	SWEEPER, VACUUM OR REGENERATIVE, AIRFIELD RUNWAY, SELF-PROPELLED, DED (NO S/S DOCUMENT)(CUST: YD)	A	3825	/	IS	31-AUG-01
M	OO-D-2842 NOT 1	DISTRIBUTOR, WATER, ARTICULATED TRACTOR-SEMITRAILER, 7,000 GALLONS (26 500 LITERS) TANK CAPACITY, DED (NO S/S DOCUMENT)(CUST: YD)	A	3825	/	IS	31-AUG-01
M	KKK-S-2777 NOT 1	SNOWPLOW, TRUCK MOUNTED, DISPLACEMENT TYPE, 36,000 GVWR, 4 BY 4 (NO S/S DOCUMENT)(CUST: AV YD IS)	A	3825	/	IS	31-AUG-01
M	OO-R-2780 NOT 1	ROLLERS, MOTORIZED, PNEUMATIC-TIRED (NO S/S DOCUMENT)(CUST: CR4 YD IS)	A	3895	/	IS	31-AUG-01
M	OO-R-2852 NOT 1	ROLLERS, MOTORIZED, TANDEM, 2-AXLE AND 3-AXLE, DED (NO S/S DOCUMENT)(CUST: YD IS) [REVIEW: CC]	A	3895	/	IS	31-AUG-01
M	OO-C-2868 NOT 1	CENTRAL MIX PLANT, CONCRETE, MOBILE 100 CUBIC YARDS (77 CUBIC METERS) PER HOUR CAPACITY (NO S/S DOCUMENT)(CUST: YD IS)	A	3895	/	IS	31-AUG-01
M	OO-R-2872 NOT 1	ROLLERS, MOTORIZED, VIBRATING, TANDEM (NO S/S DOCUMENT)(CUST: AT YD 99) [REVIEW: 84 MC]	A	3895	/	IS	31-AUG-01
M	OO-M-2888 NOT 1	MIXERS, CONCRETE, WHEEL MOUNTED, ENGINE DRIVEN (NO S/S DOCUMENT)(CUST: AT YD 99) [REVIEW: 84 CC CG MC]	A	3895	/	IS	31-AUG-01
M	OO-S-2896 NOT 1	SPREADER, MATERIAL, POWER DRIVEN, TRUCK MOUNTED, COMMERCIAL (NO S/S DOCUMENT)(CUST: AT YD)	A	3895	/	IS	31-AUG-01
M	OO-M-2897 NOT 1	MIXER, CONCRETE, TRUCK-MOUNTED (NO S/S DOCUMENT)(CUST: AT YD)	A	3895	/	IS	31-AUG-01
M	OO-K-2923 NOT 1	KETTLES, HEATING, BITUMEN (NO S/S DOCUMENT)(CUST: YD)	A	3895	/	IS	31-AUG-01
M	MS27130F NOT 1	NUT, PLAIN, BLIND RIVET-FLAT AND COUNTERSUNK HEAD, OPEN END (S/S BY NAS1329 AND NAS1330)(CUST: AR AS 99 IS) [REVIEW: AT AV CR4 MC MI OS]	A	5310		IS	12-JUL-01
M	MS27131C NOT 2	NUT, PLAIN, BLIND RIVET-FLAT HEAD, CLOSED END (S/S BY NAS1329)(CUST: AR AS 99 IS) [REVIEW: AT CR4 MC MI OS]	A	5310		IS	12-JUL-01
M	DS14242A NOT 3	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC (S/S BY SAE-MA14242)(CUST: AS 99 IS) [REVIEW: 11 YD]	A	5340		IS	07-MAY-01
M	MS51939A NOT 4	LOOP, STRAP FASTENER (FOOTMAN'S LOOP) (S/S BY NASM51939)(CUST: AR IS)	A	5340		IS	28-AUG-01
M	MIL-K-3926/1A NOT 2	KNOBS, CONTROL, BALL (S/S BY NASM3926-1)(CUST: CR EC 99 IS)	A	5355		IS	28-AUG-01
M	MIL-K-3926/2A NOT 2	KNOBS, CONTROL, OVAL TAPERED (S/S BY NASM3926-2)(CUST: CR EC 99 IS)	A	5355		IS	28-AUG-01
M	MIL-K-3926/3A NOT 2	KNOBS, CONTROL, TAPERED (S/S BY NASM3926-3)(CUST: CR EC 99 IS)	A	5355		IS	28-AUG-01
M	MIL-K-3926/4 NOT 2	KNOBS, CONTROL, ROUND, EDGE LIGHTED AND NON-EDGE LIGHTED (S/S BY NASM3926-4)(CUST: CR EC 99 IS)	A	5355		IS	28-AUG-01
M	QPL-25049-9(1) NOT 1	KNOB, CONTROL, ELECTRONIC EQUIPMENT, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT)	A	5355		IS	20-AUG-01
M	WW-C-2928 NOT 1	CAPS, FUEL STORAGE TANK (NO S/S DOCUMENT)(CUST: YD 99 IS) [REVIEW: 84 CC]	A	5430	/	IS	31-AUG-01
M	A-A-51663 NOT 1	MINERAL OIL, DI SOPROPYL SEBACATE, AND ISOPROPYL MYRISTATE LOTION (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-51828A NOT 1	METOCLOPRAMIDE INJECTION, USP (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-51924A NOT 1	MILK OF MAGNESIA, USP (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-51957A NOT 1	MINERAL INJECTION, TRACE ELEMENTS (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-53687 NOT 1	METHYLDOPATE HYDROCHLORIDE INJECTION, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-53720 NOT 1	METHOCARBAMOL TABLETS, USP (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-53740 NOT 1	MINERAL OIL, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-54506 NOT 1	METHICILLIN SODIUM FOR INJECTION, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-54644 NOT 1	METHYLERGONOVINE MALEATE INJECTION , USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-54702 NOT 1	METRONIDAZOLE TABLETS, USP (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-54744 NOT 1	MICONAZOLE NITRATE CREAM, USP (NO S/S DOCUMENT)(CUST: MD MS 03 MB)	A	6505	/	MB	03-AUG-01
M	A-A-54770 NOT 1	METHYL SALICYLATE, NF (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	A-A-54816 NOT 1	METHYSERGIDE MALEATE TABLETS, USP (NO S/S DOCUMENT)(CUST: MD MS 03)	A	6505	/	MB	03-AUG-01
M	MIL-V-12276D(1) NOT 1	VARNISH PHENOLIC, BAKING (NO S/S DOCUMENT)(CUST: MR) [REVIEW: AR EA MD MI]	A	8010		MR	20-JUN-01
M	MIL-P-52905A NOT 1	PAINT CAMOUFLAGE, REMOVABLE (NO S/S DOCUMENT)(CUST: MR AS)	A	8010		MR	20-JUN-01
M	MIL-N-17163A NOT 1	NICKEL-COPPER ALLOY, WROUGHT, (55-60 PERCENT NICKEL) LOW PERMEABILITY (NO S/S DOCUMENT)(CUST: MR SH) [REVIEW: IS MI]	A	9540		SH	01-AUG-01
M	PPP-P-1132C NOT 3	PACKAGING OF WOOLEN, WORSTED AND WOOL BLEND (SYNTHETIC FIBER: COTTON) FABRICS (NO S/S DOCUMENT)(CUST: GL SA 99 CT) [REVIEW: AS MD NU SM]	A	PACK	/	CT	16-AUG-01
M	MIL-HDBK-402A NOT 1	GUIDELINES FOR THE IMPLEMENTATION OF THE DOD PARTS CONTROL PROGRAM (S/S BY MIL-HDBK-512, SD-19)(CUST: AT AS 10 CC) [REVIEW: 01 11 13 99 AR AV CR CR4 GL GS IS MI OS SH SO]	A	SDMP		AT	21-AUG-01